

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <b>NYD982793937</b>	2. Page 1 of <b>1</b>	3. Emergency Response Phone <b>800-255-3924</b>	4. Manifest Tracking Number <b>010495588 JJK</b>		
5. Generator's Name and Mailing Address <b>Taconic</b> <b>136 Coonbrook Rd. PO Box 69</b> Generator's Phone: <b>518 658-3202</b>		Generator's Site Address (if different than mailing address) <b>136 Coonbrook Road</b> <b>Petersburgh, NY 12138</b>					
6. Transporter 1 Company Name <b>Precision Industrial Maint., Inc.</b>		<b>(518) 346-6900</b>		U.S. EPA ID Number <b>NY0001031814</b>			
7. Transporter 2 Company Name <b>Clean Venture, Inc.</b>		<b>(908) 365-6900</b>		U.S. EPA ID Number <b>NJ0000027193</b>			
8. Designated Facility Name and Site Address <b>Cycle Chem, Inc</b> <b>217 South First Street</b> Facility's Phone: <b>(908) 365-6900</b> <b>Elizabeth NJ 07206</b>		U.S. EPA ID Number <b>NJD002200046</b>					
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
	X	1. UN3082, Environmentally hazardous substances, liquid, n.o.s. (polyethyleneimine), 9, PGIII	001	DF	030	P	T ID72
	X	2. UN3139, WASTE Oxidizing liquid, n.o.s. (Di-2,4 dichlorobenzoyl peroxide), 5.1, PGII	001	DF	015	P	T D001
	X	3. UN1263, WASTE Paint, 3, PGII	001	DF	040		D001 B
14. Special Handling Instructions and Additional Information <b>1. SEE PACKING SLIP LP01</b> <b>ERG# 171 (1X55)</b> <b>2. SEE PACKING SLIP LP02</b> <b>ERG# 140 (1X20)</b> <b>YKA-154</b> <b>(1X55)</b> <b>ERS=Chemtel, Inc</b> <b>MIS# 0006508</b> <b>00023</b>							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offor's Printed/Typed Name <b>KAREN TOTH</b>		Signature <i>Karen Toth</i>		Month Day Year <b>3 18 13</b>			
INT'L	16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.		Port of entry/exit: Date leaving U.S.:				
	Transporter signature (for exports only):						
TRANSPORTER	17. Transporter Acknowledgment of Receipt of Materials						
	Transporter 1 Printed/Typed Name <b>Dorian Angus</b>		Signature <i>Dorian Angus</i>		Month Day Year <b>03 18 13</b>		
DESIGNATED FACILITY	Transporter 2 Printed/Typed Name <b>GILBERTO VELEZ</b>		Signature <i>Gilberto Velez</i>		Month Day Year <b>3 28 13</b>		
	18. Discrepancy						
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection Manifest Reference Number:							
18b. Alternate Facility (or Generator) U.S. EPA ID Number							
Facility's Phone:							
18c. Signature of Alternate Facility (or Generator) Month Day Year							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. <b>H1H1</b> 2. <b>H0H1</b> 3. <b>H0H1</b> 4. <b>H0H1</b>							
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a Printed/Typed Name <b>Michael Gibson</b> Signature <i>Michael Gibson</i> Month Day Year <b>4 18 13</b>							

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <b>NYD982793937</b>	2. Page 1 of <b>1</b>	3. Emergency Response Phone <b>800-255-3924</b>	4. Manifest Tracking Number <b>010405588 JJK</b>		
5. Generator's Name and Mailing Address <b>Taconic</b> <b>136 Coonbrook Rd, PO Box 69</b> Generator's Phone: <b>518 658-3202</b>				Generator's Site Address (if different than mailing address) <b>136 Coonbrook Road</b> <b>Petersburgh, NY 12138</b>			
6. Transporter 1 Company Name <b>Precision Industrial Maint., Inc.</b>				U.S. EPA ID Number <b>(518) 346-5800</b>		<b>NY0001031814</b>	
7. Transporter 2 Company Name <b>Clean Venture, Inc</b>				U.S. EPA ID Number <b>(908) 365-5800</b>		<b>NJ0000027193</b>	
8. Designated Facility Name and Site Address <b>Cycle Chem, Inc</b> <b>217 South First Street</b> Facility's Phone: <b>(908) 365-5800</b>				U.S. EPA ID Number <b>Elizabeth NJ 07206</b> <b>NJD002200046</b>			
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
	X	<sup>1</sup> UN3082, Environmentally hazardous substances, liquid, n.o.s. (polyethyleneimine), 9, PGIII	001	DF	230	P	T 1072
	X	<sup>2</sup> UN3139, WASTE Oxidizing liquid, n.o.s. (Di-2,4 dichlorobenzoyl peroxide), 5.1, PGII	001	DF	61	P	T 0001
	X	<sup>3</sup> UN1263, WASTE Paint, 3, PGII	001	DF	740		1001 B
		<sup>4</sup>					
14. Special Handling Instructions and Additional Information 1. SEE PACKING SLIP LP01 ERG# 171 2. SEE PACKING SLIP LP02 ERG# 140 3. See L104 EHC # 128 4. (1X) ERS=Chemtel, Inc MIS# 0005506 00023							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offor's Printed/Typed Name <i>[Signature]</i>				Signature <i>[Signature]</i>		Month Day Year 11 11 13	
TRANSPORTER INTL	16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____						
	17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name <i>[Signature]</i> Signature <i>[Signature]</i> Month Day Year 07 18 13 Transporter 2 Printed/Typed Name <i>[Signature]</i> Signature _____ Month Day Year _____						
DESIGNATED FACILITY	18. Discrepancy 18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection Manifest Reference Number: _____						
	18b. Alternate Facility (or Generator) U.S. EPA ID Number _____						
	Facility's Phone: _____						Month Day Year
	18c. Signature of Alternate Facility (or Generator) _____						Month Day Year
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. _____		2. _____		3. _____		4. _____	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name _____				Signature _____		Month Day Year _____	

## U.S. EPA Form 8700-22

Read all instructions before completing this form.

1. This form has been designed for use on a 12-pitch (elite) typewriter which is also compatible with standard computer printers; a firm point pen may also be used—press down hard.
2. Federal regulations require generators and transporters of hazardous waste and owners or operators of hazardous waste treatment, storage, and disposal facilities to complete this form (EPA Form 8700-22) and, if necessary, the continuation sheet (EPA Form 8700-22A) for both inter- and intrastate transportation of hazardous waste.

Public reporting burden for this collection of information is estimated to average: 30 minutes for generators, 10 minutes for transporters, and 25 minutes for owners or operators of treatment, storage, and disposal facilities. This includes time for reviewing instructions, gathering data, completing, reviewing and transmitting the form. Any correspondence regarding the PRA burden statement for the manifest must be sent to the Director of the Collection Strategies Division in EPA's Office of Information Collection at the following address: U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW., Washington, DC 20460. Do not send the completed form to this address.

### I. Instructions for Generators

#### Item 1. Generator's U.S. EPA Identification Number

Enter the generator's U.S. EPA twelve digit identification number, or the State generator identification number if the generator site does not have an EPA identification number.

#### Item 2. Page 1 of \_\_\_\_

Enter the total number of pages used to complete this Manifest (i.e., the first page (EPA Form 8700-22) plus the number of Continuation Sheets (EPA Form 8700-22A), if any).

#### Item 3. Emergency Response Phone Number

Enter a phone number for which emergency response information can be obtained in the event of an incident during transportation. The emergency response phone number must:

1. Be the number of the generator or the number of an agency or organization who is capable of and accepts responsibility for providing detailed information about the shipment;
2. Reach a phone that is monitored 24 hours a day at all times the waste is in transportation (including transportation related storage); and
3. Reach someone who is either knowledgeable of the hazardous waste being shipped and has comprehensive emergency response and spill cleanup/incident mitigation information for the material being shipped or has immediate access to a person who has that knowledge and information about the shipment.

**Note:** Emergency Response phone number information should only be entered in Item 3 when there is one phone number that applies to all the waste materials described in Item 9b. If a situation (e.g., consolidated shipments) arises where more than one Emergency Response phone number applies to the various wastes listed on the manifest, the phone numbers associated with each specific material should be entered after its description in Item 9b.

#### Item 4. Manifest Tracking Number

This unique tracking number must be pre-printed on the manifest by the forms printer.

#### Item 5. Generator's Mailing Address, Phone Number and Site Address

Enter the name of the generator, the mailing address to which the completed manifest signed by the designated facility should be mailed, and the generator's telephone number. Note, the telephone number (including area code) should be the normal business number for the generator, or the number where the generator or his authorized agent may be reached to provide instructions in the event the designated and/or alternate (if any) facility rejects some or all of the shipment. Also enter the physical site address from which the shipment originates only if this address is different than the mailing address.

#### Item 6. Transporter 1 Company Name, and U.S. EPA ID Number

Enter the company name and U.S. EPA ID number of the first transporter who will transport the waste. Vehicle or driver information may not be entered here.

#### Item 7. Transporter 2 Company Name and U.S. EPA ID Number

If applicable, enter the company name and U.S. EPA ID number of the second transporter who will transport the waste. Vehicle or driver information may not be entered here.

If more than two transporters are needed, use a Continuation Sheet(s) (EPA Form 8700-22A).

#### Item 8. Designated Facility Name, Site Address, and U.S. EPA ID Number

Enter the company name and site address of the facility designated to receive the waste listed on this manifest. Also enter the facility's phone number and the U.S. EPA twelve digit identification number of the facility.

#### Item 9. U.S. DOT Description (Including Proper Shipping Name, Hazard Class or Division, Identification Number, and Packing Group)

**Item 9a.** If the wastes identified in Item 9b consist of both hazardous and nonhazardous materials, then identify the hazardous materials by entering an "X" in this Item next to the corresponding hazardous material identified in Item 9b.

**Item 9b.** Enter the U.S. DOT Proper Shipping Name, Hazard Class or Division, Identification Number (UN/NA) and Packing Group for each waste as identified in 49 CFR 172. Include technical name(s) and reportable quantity references, if applicable.

**Note:** If additional space is needed for waste descriptions, enter these additional descriptions in Item 27 on the Continuation Sheet (EPA Form 8700-22A). Also, if more than one Emergency Response phone number applies to the various wastes described in either Item 9b or Item 27, enter applicable Emergency Response phone numbers immediately following the shipping descriptions for those items.

#### Item 10. Containers (Number and Type)

Enter the number of containers for each waste and the appropriate abbreviation from Table I (below) for the type of container.

TABLE I.—TYPES OF CONTAINERS

BA = Burlap, cloth, paper, or plastic bags.	DT = Dump truck.
CF = Fiber or plastic boxes, cartons, cases.	DW = Wooden drums, barrels, kegs.
CM = Metal boxes, cartons, cases (including roll-offs).	HG = Hopper or gondola cars.
CW = Wooden boxes, cartons, cases.	TC = Tank cars.
CY = Cylinders.	TP = Portable tanks.
DF = Fiberboard or plastic drums, barrels, kegs.	TT = Cargo tanks (tank trucks).
DM = Metal drums, barrels, kegs.	

#### Item 11. Total Quantity

Enter, in designated boxes, the total quantity of waste. Round partial units to the nearest whole unit, and *do not* enter decimals or fractions. To the extent practical, report quantities using appropriate units of measure that will allow you to report quantities with precision. Waste quantities entered should be based on actual measurements or reasonably accurate estimates of actual quantities shipped. Container capacities are not acceptable as estimates.

#### Item 12. Units of Measure (Weight/Volume)

Enter, in designated boxes, the appropriate abbreviation from Table II (below) for the unit of measure.

TABLE II.—UNITS OF MEASURE

G = Gallons (liquids only).	N = Cubic Meters.
K = Kilograms.	P = Pounds.
L = Liters (liquids only).	T = Tons (2000 Pounds).
M = Metric Tons (1000 kilograms).	Y = Cubic Yards.

**Note:** Tons, Metric Tons, Cubic Meters, and Cubic Yards should only be reported in connection with very large bulk shipments, such as rail cars, tank trucks, or barges.

#### Item 13. Waste Codes

Enter up to six federal and state waste codes to describe each waste stream identified in Item 9b. State waste codes that are not redundant with federal codes must be entered here, in addition to the federal waste codes which are most representative of the properties of the waste.

#### Item 14. Special Handling Instructions and Additional Information

1. Generators may enter any special handling or shipment-specific information necessary for the proper management or tracking of the materials under the generator's or other handler's business processes, such as waste profile numbers, container codes, bar codes, or response guide numbers. Generators also may use this space to enter additional descriptive information about their shipped materials, such as chemical names, constituent percentages, physical state, or specific gravity of wastes identified with volume units in Item 12.
2. This space may be used to record limited types of federally required information for which there is no specific space provided on the manifest, including any alternate facility designations; the manifest tracking number of the original manifest for rejected wastes and residues that are re-shipped under a second manifest; and the specification of PCB waste descriptions and PCB out-of-service dates required under 40 CFR 761.207. Generators, however, cannot be required to enter information in this space to meet state regulatory requirements.

#### Item 15. Generator's/Officer's Certifications

1. The generator must read, sign, and date the waste minimization certification statement. In signing the waste minimization certification statement, those generators who have not been exempted by statute or regulation from the duty to make a waste minimization certification under section 3002(b) of RCRA are also certifying that they have complied with the waste minimization requirements. The Generator's Certification also contains the required attestation that the shipment has been properly prepared and is in proper condition for transportation (the shipper's certification). The content of the shipper's certification statement is as follows: "I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent." When a party other than the generator prepares the shipment for transportation, this party may also sign the shipper's certification statement as the offeror of the shipment.
2. Generator or Offeror personnel may preprint the words, "On behalf of" in the signature block or may hand write this statement in the signature block prior to signing the generator/offeror certification, to indicate that the individual signs as the employee or agent of the named principal.

**Note:** All of the above information except the handwritten signature required in Item 15 may be pre-printed.

U.K. (Paints)

Job# 13-0023

Manifest# 0104055 OF TTV

**Elizabeth, New Jersey 07206**

Waste Paint  
Shipping Name Do

Tacm. 2

136 Coonbrook Rd.

Petersburg NY 12138

## 3

UN/1263

五

Hazard Class

UN/NA#

### Packing Group

1x20

410 lbs

1/8/13

EPA ID# NY 098279 1987

## Container Size

## Weight

Date Shipped  
ERG 128

[illegible]

1710 Erie Blvd., Schenectady, NY  
(518) 346-5800 • (Fax) 346-6077

12 Mill St., Barre, VT 05641  
(802) 479-0046 • Fax (802) 479-0048

479-0048  
TAC EPA 00881

000876

**PRECISION**  
Industrial Maintenance, Inc

Job# 12-0023

Manifest# 010405509754

**SHIP TO:**

## Cycle Chem

**217 South First Street**

**Elizabeth, New Jersey 07206**

Waste Oxidizing Liquid NOS  
Shipping Name (Di. 2.4 Dichter oben 2001  
per ox. do)  
N001

**FROM:**

Tactic

136 Coonbrook Rd

Petersburg NY 12138

### Additional Description/EPA Waste Codes

5.1

UN 3137

11

Hazard Class

UN/NA#

## Packing Group

1x 20

15

31815

EPA ID# NYD 983 753937

## Container Size

## Weight

Date Shipped

[illegible]

***Providing Quality Industrial and Environmental Services***

1710 Erie Blvd., Schenectady, NY  
(518) 346-5800 • (Fax) 346-6077

12 Mill St., Barre, VT 05641  
(802) 479-0046 • Fax (802) 479-0048

**TAC EPA 00882**

000877

**PRECISION**  
Industrial Maintenance, Inc

Job# 12-0023  
Manifest# 010905559JH

## SHIP TO:

## Cycle Chem

**217 South First Street**

**Elizabeth, New Jersey 07206**

**FROM:**

Taconic

136 Coonbrook Rd.

Pek.sburgh, NY 12138

EPA ID# NY0950793937

Environmentally Hazardous Substances  
Shipping Name: NOSE polyethyleneimine  
I072

Additional Description/EPA Waste Codes

9

UN 3082

III

Hazard Class

UN/NA#

### Packing Group

1x 20

30

7/10/10

## Container Size

Weight

Date Shipped

[illegible]


***Providing Quality Industrial and Environmental Services***

1710 Erie Blvd., Schenectady, NY  
(518) 346-5800 • (Fax) 346-6077

12 Mill St., Barre, VT 05641  
(802) 479-0046 • Fax (802) 479-0048

**TAC EPA 00883**

000878



**UNDERLYING HAZARDOUS CONSTITUENTS**  
**UNIVERSAL TREATMENT STANDARDS**

Regulated constituent											
Organic Constituents											
Common name	CAS #	WW	WWW								
		mg/l	mg/kg								
A2213	30518-43-1	0.042	1.4	2,4-Dinitrotoluene	121-14-2	0.32	140	Silvex/2,4,5-TP	93-72-1	0.72	7.9
Acenaphthylene	208-96-8	0.59	3.4	2,6-Dinitrotoluene	605-20-2	0.55	28	1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
Acenaphthene	83-32-9	0.059	3.4	Di-n-octyl phthalate	228-84-0	0.017	28	TCDDs (All Tetrachlorobenzenes)	NA	0.000063	0.001
Acetone	67-64-1	0.28	160	Di-n-propylthiourea	621-64-7	0.40	14	TCDFs (All Tetrachlorodibenzofurans)	NA	0.000063	0.001
Acetonitrile	75-05-8	5.6	38	1,4-Dioxane	123-91-1	12.0	170	1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
Acetophenone	96-66-7	0.010	0.7	Diphenylamine (difficult to distinguish from diphenylthiourea)	122-39-4	0.92	13	1,1,2,2-Tetrachloroethane	79-34-5	0.057	6.0
2-Acetylaminofluorene	53-95-3	0.059	140	Diphenylthiourea	122-39-4	0.92	13	Trichloroethylene	127-18-4	0.056	6.0
Acrolein	107-02-8	0.29	NA	Diphenylthiourea (difficult to distinguish from diphenylamine)	86-30-6	0.92	13	2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4
Acrylamide	79-06-1	19	23	1,2-Diphenylhydrazine	122-66-7	0.087	NA	Thiodiazole	59669-26-0	0.019	1.4
Acrylonitrile	107-13-1	0.24	84	Disulfoton	298-04-4	0.017	6.2	Thiophosphate-methyl	23564-05-8	0.056	1.4
Aldicarb sulfone	1696-68-4	0.056	0.28	Dithiocarbamates (total)	NA	0.028	28	Timpane	26419-73-8	0.056	0.28
Alidin	309-00-2	0.021	0.066	Endosulfan I	959-98-8	0.023	0.066	Toluene	108-88-3	0.060	10
4-Aminobiphenyl	92-67-1	0.13	NA	Endosulfan II	33213-65-9	0.029	0.13	Toxaphene	8001-35-2	0.0095	2.6
Aniline	62-53-3	0.81	14	Endosulfan sulfate	1031-07-8	0.029	0.13	Triallate	2303-17-5	0.042	1.5
Anthracene	120-12-7	0.059	3.4	Endrin	72-20-8	0.0028	0.13	Tribromomethane/Bromofom	75-25-2	0.63	15
Aranine	149-57-8	0.036	NA	Endrin aldehyde	7421-93-4	0.025	0.13	2,4,6-Tribromophenol	118-79-6	0.035	7.4
alpha-BHC	319-84-6	0.00014	0.066	EPIC	759-94-4	0.042	1.4	1,2,4-Trichlorobenzene	120-82-1	0.055	19
beta-BHC	319-85-7	0.00014	0.066	Ethyl acetate	141-78-6	0.34	33	1,1,1-Trichloroethane	71-55-6	0.054	6.0
delta-BHC	319-86-8	0.023	0.066	Ethyl benzoate	100-41-4	0.057	10	Trichloroethylene	79-00-5	0.054	6.0
gamma-BHC	58-89-9	0.0017	0.066	Ethyl cyanide/Propenenitrile	107-12-0	0.24	360	Trichloromonofluoromethane	75-69-4	0.020	30
Barban	101-27-9	0.056	1.4	Ethyl ether	60-29-7	0.12	160	2,4,5-Trichlorophenol	95-95-4	0.18	7.4
Bendiocarb	22781-23-3	0.056	1.4	bis-(2-Ethylhexyl) phthalate	117-81-7	0.28	28	2,4,6-Trichlorophenoxyacetic acid	88-06-2	0.035	7.4
Bendiocarb preform	22961-42-6	0.056	1.4	Ethyl methacrylate	97-63-2	0.14	160	1,2,3-Trichloropropane	93-76-5	0.72	7.9
Benomyl	17804-35-2	0.056	1.4	Ethylene oxide	75-21-8	0.12	NA	1,1,2-Trichloro-1,2,2-trifluoroethane	96-18-4	0.85	30
Benzene	71-43-2	0.14	10	Famphur	52-85-7	0.017	1.5	Fluorobenzene	76-13-1	0.057	30
Benz (a) anthracene	96-55-3	0.059	3.4	Fluoranthene	206-44-0	0.068	3.4	Inethylaniline	101-44-8	0.081	1.5
Benzal chloride	98-04-4	0.055	6.0	Fluorene	86-73-7	0.059	3.4	tris-(2,3-Dibromopropyl) phosphite	126-72-7	0.11	0.10
Benz (b) fluoranthene	205-99-2	0.11	6.8	Formetanate hydrochloride	23422-53-9	0.056	1.4	Verolate	1929-77-8	0.042	1.4
(difficult to distinguish from benz (b) fluoranthene)	207-08-9	0.11	6.8	Formparanate	17302-57-7	0.056	1.4	Vinyl chloride	75-01-4	0.27	6.0
Benz (k) fluoranthene	191-24-2	0.0055	1.8	Heptachlor	76-44-8	0.0012	0.066	Xylenes-mixed isomers (sum of o-, m- and p-ylene concentrations)	1320-20-7	0.32	30
(difficult to distinguish from benz (k) fluoranthene)	50-32-8	0.061	3.4	Heptachlor epoxide	1024-57-3	0.016	0.066	Isopropyl alcohol	79-08-1	0.057	1.4
Benz (g,h,i) pyrene	75-27-4	0.35	15	Hexachloro benzene	118-74-1	0.055	10	Isobutyl alcohol	78-83-1	0.055	1.4
Bromodichloromethane	74-83-9	0.11	15	Hexachlorobutadiene	87-68-3	0.055	5.5	Isobutyl alcohol	78-83-1	0.055	1.4
Bromomethane/Methyl bromide	101-55-3	0.055	15	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
4-Bromophenyl phenyl ether	71-36-3	0.055	15	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
n-Butyl alcohol	71-36-3	0.055	15	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Butylate	2008-41-1	0.042	1.4	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Butyl benzyl phthalate	85-66-7	0.017	28	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
2-sec-Butyl-4,6-dinitrophenol	88-85-7	0.066	2.5	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
/Dinoseb	63-25-2	0.006	0.14	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbazyl	10605-21-7	0.056	1.4	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbazinadim	1563-66-2	0.056	0.14	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	1563-66-2	0.056	0.14	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran phenyl	1563-66-2	0.056	0.14	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran disulfide	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran Tetrachloride	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4
Carbofuran	79-15-0	3.8	4.8 mg/l TCLP	Hexachlorocyclopentadiene	77-47-4	0.057	2.4	Isobutyl alcohol	78-83-1	0.055	1.4

- (1) CAS means Chemical Abstract Services. When the waste code and/or regulated constituents are described as a combination of a chemical its salts, and/or esters, the CAS number is given for the parent compound only.**
- (2) Concentration standards for wastewaters are expressed in mg/l and are based on analysis of composite samples.**
- (3) Except for Metals (EP or TCLP) and Cyanides (Total and Amendable) the nonwastewater treatment standards expressed as a concentration were established, in part, based on incineration in units operated in accordance with the technical requirements of 40 CFR part 264, subpart O or CFR part 265, subpart O, or based on combustion in fuel substitution units operating in accordance with applicable technical requirements. A facility may comply with these treatment standards according to provisions to 40 CFR 268.40 (d). All concentration standards for nonwastewaters are based on analysis of grab samples.**
- (4) Both cyanides (Total) and Cyanides (Amendable) for nonwastewaters are to be analyzed using method 9010 or 9012 found in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", EPA Publication SW-846, as incorporated by reference in 40 CFR 260.11, with sample size of 10 grams and a distillation time of one hour and 15 minutes.**
- (5) Fluoride, selenium, sulfide, vanadium and zinc are not underlying hazardous constituents in characteristic wastes, according to the definition in 268.2(i).**

**NOTE: NA means not applicable.**